3.3 Newton's Laws of Motion, Momentum and Stopping Distances: 30-minute Pack

EDEXCEL 4PH1 · Calculator allowed · about 30 minutes

Total Marks

Name: _____ Date: ____ / ____ / _____

Answer ALL questions. Show all your working.

1 State two vehicle or road factors that increase braking distance and give one short reason for each, in the context of driving on a wet road.

(Total for Question 1 is 2 marks)

---

2 State the formula for linear momentum in mechanics and state its SI unit, as used for a vehicle travelling on a road.

(Total for Question 2 is 2 marks)

---

3 A cyclist of mass 70 kg is moving at 6.0 m/s and applies the brakes, coming to rest in 4.0 s. Calculate the average resultant braking force on the cyclist plus bicycle, using F = ma. Include equation, substitution and unit.

(Total for Question 3 is 3 marks)

© Revision Library | revisionlibrary.co.uk

4 Two ice-skaters on a frictionless pond are moving in the same direction. Skater A mass 50 kg moves at 3.0 m/s, skater B mass 70 kg moves at 1.0 m/s. They grab each other and move together. Calculate their common speed after they join, showing equation, substitution and unit.

(Total for Question 4 is 3 marks)

---

5 A 0.50 kg tennis ball travelling at 30 m/s is hit by a racket so that it reverses direction and travels at 20 m/s in the opposite direction. Use the idea of momentum to calculate the change in momentum of the ball. Show your working and unit.

(Total for Question 5 is 3 marks)

---

6 A car of mass 1200 kg is travelling at 25 m/s and the driver applies the brakes to bring it to rest in 5.0 s. Calculate the average braking force required, showing equation, substitution and unit.

(Total for Question 6 is 3 marks)

---

7 Explain, using the idea of momentum and Newtons laws where appropriate, how an increase in vehicle speed affects the total stopping distance of a car. Give at least five distinct points involving thinking distance, braking distance, forces and momentum.

(Total for Question 7 is 5 marks)

© Revision Library | revisionlibrary.co.uk

8 A 1000 kg car is travelling east at 15 m/s and collides head-on with a 1200 kg car travelling west at 10 m/s. After a perfectly inelastic collision they stick together. Use conservation of momentum to calculate the velocity of the wreckage immediately after impact, giving magnitude, direction and unit. Show equation and substitution.

(Total for Question 8 is 3 marks)

---

9 Two trolleys on a low-friction track collide. Trolley A (mass 2.0 kg) moves right at 1.5 m/s, trolley B (mass 3.0 kg) moves left at 0.5 m/s. Use conservation of momentum to calculate the velocity of the combined trolleys immediately after a perfectly inelastic collision where they stick together. Show equation, substitution and unit.

(Total for Question 9 is 3 marks)

© Revision Library | revisionlibrary.co.uk

Mark scheme · 3.3 Newton's Laws of Motion, Momentum and Stopping Distances: 30-minute Pack

Question 1

a valid vehicle or road factor with a linked reason, e.g. worn tyres: reduced grip on wet surface so brakes take longer to slow the vehicle	**B1**
a second valid factor with a linked reason, e.g. poor brake condition: brakes provide less deceleration so stopping distance is increased; also accept greater speed or greater mass/load (more kinetic energy to remove), with a correct reason	**B1**

Answer: e.g. worn tyres, because they reduce grip on wet roads; poor brake condition, because brakes give less deceleration so braking distance increases.

Question 2

states the formula p = mv	**B1**
states the SI unit as kilogram metre per second, kg m/s	**B1**

Answer: p = mv; unit: kg m/s

Question 3

quotes F = ma and a = (v - u) / t	**M1**
substitutes: a = (0 - 6.0) / 4.0 = -1.5 m/s^2, then F = 70 x -1.5	**M1**
gives F = -105 N cao, or 105 N opposing the motion	**A1**

Answer: -105 N (105 N opposite to motion)

Question 4

conservation of momentum: $m_A v_A + m_B v_B = (m_A + m_B)$ v_final	**M1**
substitutes: total momentum = 50 x 3.0 + 70 x 1.0 = 150 + 70 = 220 kg m/s; total mass = 120 kg	**M1**
gives v_final = 220 / 120 = 1.83 m/s cao with unit (to 3 s.f.)	**A1**

Answer: 1.83 m/s

Question 5

quotes momentum p = mv and recognises change in momentum = m(v_final - v_initial) taking into account direction	**M1**
substitutes with sign: v_initial = +30 m/s, v_final = -20 m/s so change = 0.50 x (-20 - 30) = 0.50 x -50 = -25 kg m/s	**M1**
gives magnitude and unit: change in momentum = -25 kg m/s (or 25 kg m/s opposite to initial direction) cao	**A1**

Answer: -25 kg m/s (change in momentum; 25 kg m/s opposite to initial direction)

Question 6

uses F = ma and a = (v - u) / t	**M1**
substitutes: a = (0 - 25) / 5.0 = -5.0 m/s^2 then F = 1200 x -5.0	**M1**
gives F = -6000 N cao, or 6000 N opposing the motion, with unit	**A1**

Answer: -6000 N (6000 N opposite to direction of motion)

Question 7

states that thinking distance increases with speed because the car covers more distance during the driver's reaction time	**B1**
uses momentum p = mv to state that momentum increases as speed increases for the same mass	**B1**
applies Newtons second law: to reduce momentum to zero a larger change in momentum per unit time requires a larger resultant force or a longer braking time/distance	**B1**
explains that braking distance increases more than thinking distance as speed rises because kinetic energy and change in momentum grow with speed, so brakes must do more work and provide more impulse	**B1**
concludes that total stopping distance increases significantly with speed, combining the increased thinking and the disproportionately larger braking distance	**B1**

Question 8

sets up m1 v1 + m2 v2 = (m1 + m2) v_final with consistent sign convention (east positive)	**M1**
substitutes: total momentum = 1000 x (+15) + 1200 x (-10) = 15000 - 12000 = 3000 kg m/s; total mass = 2200 kg	**M1**
gives v_final = 3000 / 2200 = 1.36 m/s east cao with unit	**A1**

Answer: 1.36 m/s east

Question 9

states conservation of momentum: $m_A v_A + m_B v_B = (m_A + m_B)$ v_final	**M1**
substitutes: total momentum = 2.0 x (+1.5) + 3.0 x (-0.5) = 3.0 - 1.5 = 1.5 kg m/s; total mass = 5.0 kg	**M1**
gives v_final = 1.5 / 5.0 = 0.30 m/s to the right, cao with unit	**A1**

Answer: 0.30 m/s to the right

© Revision Library | revisionlibrary.co.uk